






FR FRAISES À SURFACER
IT FRESE A SPIANARE
ES FRESA PARA PLANEAR

ADAPTION ACC. TO DIN 8030 / ATTACHEMENT DIN 8030
 ATTACCO DIN 8030 / ADAPTACIÓN SEGÚN DIN 8030



Designation / Réf. de l'article / Artículo / Referencia D D1 d d1 LK LK1 L a a1 Z  

PO.063.005	63	76,6	22	55	-	-	40	43	5	14	5	✓	0,55
PO.063.006 ¹⁾	63	76,6	22	55	-	-	40	43	5	14	5	✓	0,55
PO.080.005	80	93,6	27	70	-	-	55	43	5	14	6	✓	1,37
PO.080.009 ¹⁾	80	93,6	27	70	-	-	55	43	5	14	6	✓	1,37
PO.100.005	100	113,6	32	85	-	-	55	43	5	14	7	✓	2,16
PO.100.009 ¹⁾	100	113,6	32	85	-	-	55	43	5	14	7	✓	2,16
PO.125.005	125	138,6	40	100	-	-	63	43	5	14	8	✓	3,87
PO.125.009 ¹⁾	125	138,6	40	100	-	-	63	43	5	14	8	✓	3,87
PO.160.004	160	173,6	40	130	66,7	-	63	43	5	14	10		5,95
PO.160.008 ¹⁾	160	173,6	40	130	66,7	-	63	43	5	14	10		5,95
PO.200.001	200	213,6	60	160	101,6	-	63	43	5	14	12		8,65
PO.200.003 ¹⁾	200	213,6	60	160	101,6	-	63	43	5	14	12		8,65
PO.250.001	250	263,6	60	190	101,6	-	63	43	5	14	14		14,05
PO.250.003 ¹⁾	250	263,6	60	190	101,6	-	63	43	5	14	14		14,05
PO.315.001	315	328,6	60	255	101,6	177,8	80	43	5	14	16		26,38
PO.315.003 ¹⁾	315	328,6	60	255	101,6	177,8	80	43	5	14	16		26,38


OGTO PLUS P009D10A

¹⁾ LEFT HAND ROTATING TOOL / OUTIL À GAUCHE / FRESA SINISTRA / ROTACIÓN GIRO A IZQUIERDAS



FR FRAISES À SURFACER
 IT FRESE A SPIANARE
 ES FRESA PARA PLANEAR

ADAPTION ACC. TO DIN 8030 / ATTACHEMENT DIN 8030
 ATTACCO DIN 8030 / ADAPTACIÓN SEGÚN DIN 8030



Designation / Réf. de l'article
 Artículo / Referencia

	D	D1	d	d1	LK	LK1	L	a	a1	Z			
PO.080.006	80	93,8	27	70	-	-	55	43	5	14	7	✓	1,42
PO.080.010 ¹⁾	80	93,8	27	70	-	-	55	43	5	14	7	✓	1,42
PO.100.006	100	113,7	32	85	-	-	55	43	5	14	9	✓	2,15
PO.100.010 ¹⁾	100	113,7	32	85	-	-	55	43	5	14	9	✓	2,15
PO.125.006	125	138,6	40	100	-	-	63	43	5	14	12	✓	3,87
PO.125.010 ¹⁾	125	138,6	40	100	-	-	63	43	5	14	12	✓	3,87
PO.160.005	160	173,6	40	130	66,7	-	63	43	5	14	15		6,03
PO.160.009 ¹⁾	160	173,6	40	130	66,7	-	63	43	5	14	15		6,03
PO.200.005	200	213,6	60	160	101,6	-	63	43	5	14	18		8,77
PO.200.006 ¹⁾	200	213,6	60	160	101,6	-	63	43	5	14	18		8,77
PO.250.005	250	263,4	60	190	101,6	-	63	43	5	14	22		14,15
PO.250.006 ¹⁾	250	263,4	60	190	101,6	-	63	43	5	14	22		14,15
PO.315.005	315	328,5	60	255	101,6	177,8	80	43	5	14	26		26,71
PO.315.006 ¹⁾	315	328,5	60	255	101,6	177,8	80	43	5	14	26		26,71

Narrow spacing (only for short chip producing materials) / Pas réduit (pour matières à copeaux courts) /
 Passo fine (solo per materiali che producono truciolo corto) / Paso fino (solo para materiales de viruta corta)


OCTO PLUS P009D10B


¹⁾ LEFT HAND ROTATING TOOL / OUTIL À GAUCHE / FRESA SINISTRA / ROTACIÓN GIRO A IZQUIERDAS



FR FRAISES À SURFACER
IT FRESE A SPIANARE
ES FRESA PARA PLANEAR

ADAPTION ACC. TO DIN 8030 / ATTACHEMENT DIN 8030
 ATTACCO DIN 8030 / ADAPTACIÓN SEGÚN DIN 8030



Designation / Réf. de l'article / Artículo / Referencia D D1 d d1 LK LK1 L a a1 Z 


PO.080.007	80	93,6	27	70	-	-	55	43	5	14	6	1,64
PO.080.011 ¹⁾	80	93,6	27	70	-	-	55	43	5	14	6	1,64
PO.100.007	100	113,6	32	85	-	-	55	43	5	14	7	2,45
PO.100.011 ¹⁾	100	113,6	32	85	-	-	55	43	5	14	7	2,45
PO.125.007	125	138,5	40	100	-	-	63	43	5	14	8	4,32
PO.125.011 ¹⁾	125	138,5	40	100	-	-	63	43	5	14	8	4,32
PO.160.006	160	173,5	40	130	66,7	-	63	43	5	14	10	6,60
PO.160.010 ¹⁾	160	173,5	40	130	66,7	-	63	43	5	14	10	6,60
PO.200.002	200	213,6	60	160	101,6	-	63	43	5	14	12	9,45
PO.200.004 ¹⁾	200	213,6	60	160	101,6	-	63	43	5	14	12	9,45
PO.250.002	250	263,5	60	190	101,6	-	63	43	5	14	16	14,98
PO.250.004 ¹⁾	250	263,5	60	190	101,6	-	63	43	5	14	16	14,98
PO.315.002	315	328,6	60	255	101,6	177,8	80	43	5	14	20	27,74
PO.315.004 ¹⁾	315	328,6	60	255	101,6	177,8	80	43	5	14	20	27,74

OGTO PLUS P009D10C

¹⁾ LEFT HAND ROTATING TOOL / OUTIL À GAUCHE / FRESA SINISTRA / ROTACIÓN GIRO A IZQUIERDAS

FACE MILLS



INSERTS / PLAQUETTES DE COUPE INSERTI / PLAQUITA



Designation / Réf. de l'article Articolo / Referencia	Insert Version / Execution Tipologia Inserto / Tipo de Plaquita	Grade Nuance Grado	IN10K	IN2005	IN2030	IN2035	IN2040	IN2505	IN6510
ONCU090612TN-HR	positive geometry			●	●	●	●		
ONCU0906ANFN-WE	positive cast iron geometry								●
ONCU090612FN-P	non-ferrous geometry, polished		●						
ONCU090612TN-W	wiper finishing insert							●	

● = P ● = M ● = K ● = N ● = S ○ = H

SPARE PARTS / ACCESSOIRE RICAMBI / RECAMBIOS

Differential screw / Vis à pas différentiel Vite a passo differenziato / Tornillo de doble rosca	Locking wedge / Coin de blocage Cuneo di pressione / Cuña de cierre	Wrench / Clé de serrage Chiave / Llave tensora	
SB080-03 	2M0813-01 	DS-H04T 